

VELVET C STYLE

OutFit



Product categories




Meat




Chicken



Delicatessen



Cheese



Dairy products



Gastronomy




Pastries

Technical features



Ventilated



Remote
condensing unit



LED lighting



High efficiency
fans



Off-cycle
defrost

Certification and patents



Eurovent*



TechnoKleen



Epta Adamant

* Epta S.p.A. participates in the ECC programme for:
Refrigerated display cabinets (RDC); Check ongoing validity
of certificate online: www.eurovent-certification.com
or using: www.certiflash.com


VELVET C STYLE

OutFit


Product range

VELVET C STYLE									
Length-Lunghezza Longueur-Länge-Longitud mm	937	1250	1875	2500	3125	3750	MAA 90°	MAA 45°	MAC 45°
RDB	•	•	•	•	•	•			
RDA	•	•	•	•		•	•	•	
WO	•	•	•	•		•		•	•
RDBP	•	•	•	•		•	•	•	•
RCB	•	•	•	•	•	•	•	•	•
LS	•	•	•	•	•	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m²/ml	0.75								
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m²/ml	1.01								
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	55.00								


Cross sections



RDB



RDA




WO


VELVET C STYLE

OutFit


Cross Sections




RDBP




RCB




LS-U




LS-C




LS-D




LEGS - RDB



LEGS - RDA



LEGS - WO




LEGS - RDBP


VELVET C STYLE

OutFit


Cross Sections




LEGS - RCB



LEGS - LS-U



LEGS - LS-C



LEGS - LS-D